

Township N° VI, North, Range N° I East of 2nd Meridian. Surveyed by Arthur Henrie - 1814.

Description of the Soil on the interior Sectional lines.

Acres Due
Total 23,355 61

between sections	Quality &c	between sections	Quality &c	between sections	Quality &c
35.36	Land Rolling, Timber Poplar, Beech, Sugar &c	27.28	Land Rich Rolling Timber Oak, Poplar &c	29.30	Land Rolling, Timber Oak, Oak, Poplar, Walnut, Hickory, Spruce
25.30	Land the same	22.27	Land the same	20.26	ditto
23.20	ditto	11.22	Land Hilly, Timber Oak & Hickory, thin soil	19.20	ditto
14.23	ditto	15.22	Land the same	17.20	Land Hilly, Timber the same
23.24	ditto	15.16	Land Rolling, Timber Oak & Beech	17.18	ditto
13.24	ditto	10.15	Land the same	8.17	ditto
13.14	ditto	9.10	Land Hilly, Timber Oak & Hickory	7.8	ditto
12.13	ditto	3.10	Land the same	5.8	Land Hilly, Timber Oak
11.12	ditto	3.11	ditto	5.6	Land Hilly, thin soil Timber Oak, Hickory &c
1.12	Land very brushy, covered with green briars	31.33	Land Rich, Timber Beech, Poplar, Ash & Sugar	6.7	Land Hilly, Timber Oak, Hickory
1.2	Land the same	28.33	Land the same	7.18	this line over flat land
34.35	Land Rolling, Timber Beech, Sugar, Poplar, Ash & Hickory	28.29	ditto	18.19	Land Rolling, Timber Beech, Poplar &c
33.26	Land the same	21.25	ditto	19.30	Land Rich Rolling, Timber Sugar, Poplar, Ash &c
26.27	Land Hilly, Timber Beech, Oak & Hickory	20.21	ditto	30.31	Land Rolling, Timber Beech, Oak &c
23.26	Land the same	16.21	ditto		
22.23	ditto	16.17	Land Hilly, Timber Oak, Chestnut, Hickory &c		
14.23	ditto	9.16	Land the same		
14.13	ditto	8.8	ditto		
11.14	ditto	4.7	ditto		
10.11	ditto	4.5	ditto		
2.11	ditto	31.32	Land Rich, Timber, Sugar, Beech, Poplar &c		
2.3	Land Hilly, thin soil Timber Oak, Chestnut & Hickory	14.32	ditto		
30.34	Land Rich Rolling, Timber Beech, Poplar &c				
27.34	Land the same				

Township 10 North, Range 10 East of 2nd Mer.

Interior Section corners described


Continued

Post	Distance feet	Bearing true	Course true	Links dist.	Quality of the Soil	Section corners	Distance feet	Bearing true	Course true	Links dist.	From H to	Bearing true	Distance feet	Course true	Links dist.
A						15. 20. 35. 50	200	0	11 58 E	10	I to Cat 1. Ironwood	6	South	2	
B						15. 21. 12. 20	200	0	11 58 E	10	2. W Oak	20	West	10	
B	W Oak	18	S 40 W	12		15. 11. 23. 24	200	0	11 58 E	10	3. Beech	10	N 74 E	28	
b	Hickory	0	11 20 E	1		11. 12. 13. 14	200	0	11 58 E	10	4. Hickory	12	S 80 W	30	
C	W Oak	10	S 2 W	11		20. 21. 24. 33	200	0	11 58 E	10	5. Beech	20	West	20	
c	do	10	11 8 W	15		22. 23. 26. 27	200	0	11 58 E	10	6. Beech	20	S 3 W	27	
D	Hickory	10	S 12 W	45		12. 13. 22. 23	200	0	11 58 E	10	H to Y at 1. W Oak	18	S 55 W	18	
d	do	7	S 32 W	37		10. 11. 14. 15	200	0	11 58 E	10	1. W Oak	20	S 26 W	13	
E	W Oak	20	S 53 E	18		2. 3. 10. 11	200	0	11 58 E	10	2. B. Oak	6	S 5 W	11	
e	Ironwood	0	11 32 W	18		27. 28. 33. 34	200	0	11 58 E	10	3. W Oak	12	S 63 E	33	
F	Beech	18	S 34 W	24		21. 22. 27. 28	200	0	11 58 E	10	4. W Oak	10	S 88 W	53	
F	Ironwood	0	S 24 E	11		15. 16. 21. 22	200	0	11 58 E	10	5. Beech	10	S 73 W	30	
G						9. 10. 13. 16	200	0	11 58 E	10	6. W Oak	6	S 50 W	22	
H						3. 4. 6. 10	200	0	11 58 E	10	do	8	S 22 E	10	
I						32. 33. 28. 29	200	0	11 58 E	10	do	8	S 18 E	6	
J						21. 21. 28. 29	200	0	11 58 E	10	do	18	S 38 E	25	
K						16. 17. 20. 21	200	0	11 58 E	10	do	30	S 37 E	14	
L						8. 9. 10. 17	200	0	11 58 E	10	do	12	S 11 W	38	
M						4. 5. 8. 9	200	0	11 58 E	10	do	0	South	17	
N						29. 30. 31. 32	200	0	11 58 E	10	do	8	S 30 W	12	
O						10. 20. 29. 30	200	0	11 58 E	10	do	18	S 3 W	43	
P						17. 18. 19. 20	200	0	11 58 E	10	do	20	S 31 E	13	
Q						7. 8. 17. 18	200	0	11 58 E	10	do	8	S 7 W	37	
R						5. 6. 7. 8	200	0	11 58 E	10	do	12	South	75	
S						1. 2. 11. 12	200	0	11 58 E	10	do	6	S 18 E	15	
T											do	12	S 62 E	19	
U	W Oak	24	S 21 E	12							do	18	S 43 W	27	
U	Beech	10	S 21 W	13							do	20	S 53 E	26	
V	Beech	18	S 38 W	8							do	20	S 7 W	35	
V	do	10	S 60 W	30							do	6	S 19 E	16	
W	Beech	12	S 48 E	11							do	10	S 25 E	12	
W	do	12	S 48 W	18							do	10	S 25 E	12	
X	Beech	12	S 77 E	19							do	10	S 25 E	12	
X	do	10	S 23 W	22							do	10	S 25 E	12	
Y	Ironwood	6	S 10 W	25							do	10	S 25 E	12	
Y	W Oak	20	S 70 E	15							do	10	S 25 E	12	

Interior Section corners described

From H to	Bearing true	Distance feet	Course true	Links dist.
M to Cat 1. Beech	6	11 58 E	5	
2. W Oak	10	11 58 E	12	
3. Beech	20	11 58 E	23	
4. W Oak	10	11 58 E	8	
5. Beech	8	11 58 E	9	
6. Beech	10	11 58 E	12	
7. Beech	10	11 58 E	17	
8. Beech	10	11 58 E	22	
9. Beech	10	11 58 E	34	
10. Beech	10	11 58 E	17	
L to V at 1. Beech	24	S 30 W	22	
2. Beech	6	S 50 E	10	
3. Beech	18	S 82 W	16	
4. Beech	20	S 16 E	31	
5. Beech	20	S 63 W	33	
6. Beech	20	S 67 W	14	
7. Beech	8	S 26 W	10	
8. Beech	12	S 67 E	12	
9. Beech	8	S 18 W	14	
10. Beech	18	S 10 W	11	
11. Beech	10	S 50 W	17	
12. Beech	10	East	25	
13. Beech	5	S 48 E	4	
14. Beech	8	S 33 E	9	
15. Beech	6	S 45 W	4	
16. Beech	10	S 80 E	22	
17. Beech	6	S 19 W	4	
18. Beech	8	S 70 E	30	
19. Beech	6	S 51 W	6	

From H to	Bearing true	Distance feet	Course true	Links dist.
R to Cat 1. Beech	10	S 30 E	21	
2. Beech	8	S 62 W	15	
3. Beech	8	S 2 E	10	
4. Beech	6	S 8 E	18	
5. Beech	18	S 21 E	20	
6. Beech	10	S 61 E	19	
7. Beech	15	S 4 E	10	
8. Beech	8	S 16 E	19	
9. Beech	20	S 71 W	8	
10. Beech	18	S 9 W	16	
11. Beech	12	S 75 E	20	
12. Beech	10	S 63 W	3	
13. Beech	6	S 19 E	3	
14. Beech	8	S 34 W	17	
15. Beech	12	S 14 E	20	
16. Beech	10	S 30 E	25	
17. Beech	8	S 14 W	25	
18. Beech	20	S 8 E	32	
19. Beech	6	South	20	
20. Beech	5	S 78 E	7	
21. Beech	20	S 16 E	51	
22. Beech	10	S 76 W	11	



Pursuant to contract with and Instructions from said Manifest Surveyor General of the United States bearing date the 11th day of November 1814, I have laid out, measured and surveyed the above described Township and do certify that had such marks and bounds both natural and artificial as are represented on said plat and situated in the field notes made thereof and returned with this plat into the Surveyor General's office.

Certified this 15 day of June 1814 Arthur H. H. Surveyor